
## DARE

NTERNATIONAL



SHARPENING TOOLS
SINCE
1973

# STARRIV BUSINESS SINCE 1973



## TABLE OF CONTENTS

COMPANY STORY	4
COMPANY TIMELINE	
DAREX INDUSTRIAL TOOL SHARPENERS	
V-391	8
XT-3000I	9
XT-3000I-A	
XT ATTACHMENTS	
XPS-16+I	
XPS-16+CCI	13
PRODUCT SELECTION GUIDE	

### COMPANY STURY-

DAREX, LLC is proud to be an American company!

DAREX Sharpeners are built by hard-working Americans at our business in Medford, Oregon. We have been creating premium sharpening tools right here in the USA for almost 50 years.

Founded in Chicago in 1973, our company was built on the core values of honesty, integrity, respect and enjoying what we do. From those humble beginnings, we have grown, proudly continuing a tradition of American innovation. Starting with our first sharpener, the DAREX M1, our entire product line has been designed, engineered, and tested to the highest standards. The basic values we started with remain vibrantly alive at the forefront of our business decisions.

We remain committed to designing, building, quality control and shipping our products right here in Medford, Oregon, with our American workforce. We could deliver cheaper products to you, but then we couldn't deliver the value and service you - and we - have come to expect.

You get what you pay for. DAREX is a premium tool that will last. If you call us for customer service, you will speak to someone at our manufacturing facility who knows our products and is committed to ensuring your satisfaction. We know you need your tools to work as hard as you do, so we have designed them to stand up to the rigors of daily use.

Tools are an investment. We make our sharpeners so that you can get the most value out of your investment, and your purchase of this new tool is also an investment in hard-working Americans. Thank you for your trust in us and our products.

#### COMPANY TIMELINE

#### 1947

Bernard Welding Equipment Co. is founded by Art Bernard, one of the world's



1st welding engineers. Art's son, Richard soon joins and Bernard Co. grows to become one of the premier manufacturers of MIG welding guns & accessories.

#### 1973



DAREX incorporates. Richard Bernard and Dave, his son, are founders. The first three letters of the DAREX name are derived from the first letters of David, Arthur, and Richard Bernard.

#### 1976

The first
DAREX drill
sharpener,
the M1, is
introduced at



introduced at the Cleveland regional tool show.

#### 1979

The second generation drill sharpener, the M2, is introduced.



#### 1981

Designed by Dave Bernard, the third generation drill



sharpener, the M3, is introduced.

#### 1988

Endmill sharpeners are introduced.



#### 1992

DAREX wins the 100 Best Companies to Work For in Oregon award.



#### 1996

DAREX launches a Consumer Drill Sharpener.



#### 2002

The XPS-16 CNC sharpener is introduced.



#### 2003

The XT-3000I Expanded Tool Sharpener is introduced.



#### 2004

DAREX is again named on of Oregon's Top 50 Places to Work.



#### 2009

DAREX introduces the Auto Sharpener, automating t



automating the sharpening process on the already popular XT-3000l.

#### 2013-2015

DAREX is again named one of Oregon's Top Places to Work.



#### 2016

The updated CNC-XPS-16+ is introduced at the IMTS Show in Chicago.



#### 2020

DAREX is sold to former DAREX President Gary Varney, along with the complete Industrial productline, staff and the trademark DAREX.

#### 2022

New products coming in 2022!

## SHABBIRS



## THE WORLD'S BEST-SELLING INDUSTRIAL CUTTING TOOL SHARPENERS

Whether your shop specializes in high-tech mass production or creative custom fabrication, there's a Darex sharpener that will lower your tool costs and make your toughest jobs run smoothly.

Darex offers a wide range of sharpeners for manufacturers and fabricators of all sizes. For smaller shops with low-volume or intermittent sharpening needs, the V-391 is our most popular model. The XT-3000I and XT-3000I-A are the versatile workhorses for most mid-to-large size manufacturers, and the fully automatic XPS-16+I CNC provides the ultimate in precision and productivity. In fact, the high-capacity XPS-16+I is the only machine in the world that can automatically detect a drill's stick-out, diameter, and web thickness—then sharpen and hone the drill—all in one continuous process with minimal operator involvement.







Fully Automatic CNC Drill Sharpener



Semi-automatic Drill Sharpener



#### DAREX SHARPENERS PAY FOR THE WSE IVES

Simply compare the cost of an in-house sharpening machine against your monthly expenses for the following:

- Purchasing new bits
- · Sending dull bits out for re-sharpening
- Labor downtime
- Machine downtime
- Shipping and handling
- Double inventory costs for sending bits to a sharpening service



## V-391 SPECIFICATIONS

• Drill capacity: 3-19mm

• Point angle: 118° – 140°

• Point style: conic and standard split point

• Power: 3 amps at 230V

• Size/weight: 30×28×23cm, 11kg

Borazon (CBN) wheel for HSS & cobalt;
 Diamond wheel for carbide available

• Morse-Taper chuck 3-19mm available

Vacuum available

• Machine stand available

#### sharpen most common drill sizes on-site for less than the cost of 100 drills. Even very small shops can quickly sharpen their own drill bits and keep on working. It's simple, intuitive design gives everyone access to sharp drill bits

SHARPENS

COMMON POINT

STYLES WITH EASE

Get precision drill sharpening

at an irresistible price. With the

Darex V-391, you can accurately

when they need them, and is the most cost effective sharpener for intermittent use.

See the V-391 in action online at www.DAREX.com



#### V-391 ACCESSORIES



Diamond Wheel 180 Grit PP11115GF



CBN Wheel 180 Grit PP11125GF



230V Vacuum SA10174AF (optional)

### XT-3000I





#### **XT-3000I SPECIFICATIONS**

- Accepts drill diameters of: 3mm-21mm
- · Accepts drills 50.8mm and greater in length
- Point angles sharpened: 118°–150° (90° option available)\*
- Point styles sharpened: Standard conic and split point
- · Sharpens countersinks\*
- Sharpens Step Drills\*
- · Sharpens left-hand drills\*
- Sharpens 21-30mm drills\*
- Sharpens MT & Common Shank Drills\*
- Power: 1.6 amps at 230V; <sup>1</sup>/<sub>4</sub> hp
- Machine size: 51x51x41cm
- Machine weight: 31kg
- Sharpening and Point Split Wheels included: Borazon (CBN) for HSS & cobalt (diamond option for carbide available)
- Grit removal system: Vacuum optional
- · Machine and accessory stand optional

## CREATE A WIDE VARIETY OF POINT STYLES WITH FOOLPROOF PRECISION

This expandable tool sharpener grows as your shop's needs grow. When you want the right point for the job sharpened quickly and simply, the Darex XT-3000l is your best choice. It sharpens a wide variety of sizes and styles of drills, as well as a wide range of other tools, with ease and accuracy. For the price of a couple hundred drills, you can sharpen inhouse for pennies a drill. The XT-3000l's chuck/cam design makes it easy for everyone in your shop to be a sharpening expert. This is a rock solid, heavyduty machine capable of sharpening all day, every day. Attachments can be interchanged in seconds and all adjustments can be made without tools. Incorporating 45 years of sharpening expertise, the Darex XT-3000I is the finest, most technologically advanced manual tool sharpener ever produced.

## XT-3000I-A





#### AUTOMATE YOUR SHARPENING AND INCREASE PRODUCTIVITY

The XT-3000l Auto is an affordable way to bridge the gap between a manually operated machine and a fully automated CNC sharpening

system. It provides fast payback and is easily integrated into your workflow. It always delivers consistent results regardless of operator skill levels, so it's ideal for multi-shift manufacturing operations and extended production runs. The XT-3000I Auto-Sharp does everything the XT-3000I does; but increases productivity by automating sharpening—and at a very affordable price.



See the XT-3000I-A in action online at



#### Left-Hand Chucks

3-12mm SA16484TA

12-21mm SA16488TA

#### **XT-SERIES ACCESSORIES**



21-30mm





Countersink Sharpening Attachment\* LEX150INTL Standard: 1 flute Optional: 3 & 6 flute Max CS Diameter: 28mm

90° Point Attachment

Standard: 3-12mm Optional: 12-21mm







Step Drill Attachment\* Standard: 3-12mm Optional: 12-21mm LEX250







**Machine Stand** SA10175AF (all items shown sold separately)



\*XY Table Required with the three attachments above LEX100

### **XPS-16+I**

A FULLY AUTOMATIC 4-AXIS CNC DRILL GRINDER & SHARPENER WITH 6 JAW CHUCK WORK HOLDING SYSTEM

Only a CNC can reproduce the complex, high-tech points found on today's premium Carbide and HSS drills, and the XPS-16+I can do it all with the touch of a button. For the price of a couple hundred premium carbide drills, you can sharpen inhouse for only pennies a drill. This high-capacity machine can easily sharpen thousands of drills every week. With a user interface as easy to learn and use as a smart phone, everyone in your shop can be sharpening on the XPS-16+l in just a few minutes. Sharpen pre-programmed drill point profiles or program your own custom profiles. The XPS-16+I is the only machine in the world that can automatically detect the drill's stick-out, diameter, and web thickness—and then sharpen and hone the drill—all in one continuous process with minimal operator involvement.



See the XPS-16+I in action online at

www.DAREX.com



#### **JAW CHUCK CONFIGURATION**

- · Automatically detects drill diameter
- Provides a fast transition from one drill diameter to another - no collets required

#### **XPS-16+I SPECIFICATIONS**

- Cutting tool diameter: 3-16mm
- Operation mode: Automatic
- Point angles sharpened: 90°-150°
- Point styles sharpened: Standard conic, 4-facet, standard and radius split point
- Power: 4amps: 230V
- Machine size: 66 x 56 x 30.5cm

- Machine weight: 52kg;
   Vacuum 12.7kg
- Sharpening Wheels Included: Borazon (CBN) for HSS & cobalt; Diamond for carbide
- Grit removal system: Vacuum
- · Machine stand optional

#### **XPS-16+I ACCESSORIES**



220-Grit Diamond Grinding Wheel Replacement/spare wheel PP12666GF



180-Grit CBN Grinding Wheel Replacement/spare wheel PP12660GF

230V Vacuum SA10174AF (included)



#### **COLLET CHUCK CONFIGURATION**


- Sharpens double diameter (common shank/end mill shank) drills
- Sharpens straight flute drills
- Sharpens standard parallel shank drills
- Includes 15 pc ER-25 collets 2mm 16mm




## XPS-16+CCI

## A FULLY AUTOMATIC 4-AXIS DRILL GRINDER AND SHARPENER WITH ER-25 COLLET CHUCK WORK HOLDING SYSTEM

In addition to the XPS-16+I, Darex also offers the XPS-16+CCI Collet Chuck. With the same capabilities and precision as the XPS-16+I, where the XPS-16+CCI Collet Chuck really shines is its ability to precisely retain and sharpen common shank (endmill shank) and straight fluted drills in addition to the standard parallel shank drills. If your drill inventory also contains common shank or straight fluted drills, then this is the machine for you. The XPS-16+CCI Collet Chuck is able to sharpen your drills from start to finish - all in one continuous process - with minimal operator involvement.









See the XPS-16+CC in action online at

www.DAREX.com

## DARDER PRODUCT SELECTION GUIDE

Model	V-391	XT-30001	XT-3000I-A	XPS-16+I	XPS-16+CCI
Ideal for	Shops that demand a precision sharpener at a value price that operates quickly and intuitively.	Shops that sharpen a variety of drill sizes and styles and want the advantages of a highly advanced manual drill and tool sharpener.	Does everything the standard XT does, but automates the drill sharpening process for shops with higher sharpening volume requirements and need to eliminate the human influence on the process.	Shops that demand the precision and productivity of a fully automatic 4-Axis CNC sharpener. Also for those that need a simple solution to regrind and hone complex geometry on Carbide drills.	Shops that demand the precision and productivity of a fully automatic 4-Axis CNC sharpener. For customers that require work holding for straight flute, common and end mill shank drill bits as well as parallel shank drill bits. Also for those who need a simple solution to regrind and hone complex geometries on Carbide drills.
Usage	Light Duty, Intermittent Use	Heavy Duty	Heavy Duty, High Capacity	High Performance	High Performance
Grinding Capacity	3-19mm	3-21mm (21-30mm option available)	3-21mm (21-30mm option available)	3-16mm	2.5 – 16mm
Operation Mode	Manual	Manual	Semi-automatic	Automatic	Automatic
Angles Sharpened	118°-140°	118°–150° (90° option available)	118°–150° (90° option available)	90°–150°	90°–150°
Point Angle Styles Sharpened	Standard conic & split point	Standard conic & split point	Standard conic & split point	Standard conic, 4 facet, standard X, & radius split point	Standard conic, 4 facet, standard X, & radius split point
Machine Size	30 x 28 x 23 cm	51 x 51 x 41 cm	51 x 51 x 41 cm	66 x 56 x 30 cm	66 x 56 x 30 cm
Sharpening Wheel Included	Borazon (CBN) for HSS & Cobalt (Diamond for Carbide Optional)	Borazon (CBN) for HSS & Cobalt (Diamond for Carbide Optional)	Borazon (CBN) for HSS & Cobalt (Diamond for Carbide Optional)	Borazon (CBN) for HSS & Cobalt; Diamond with Hone Brush for Carbide	Borazon (CBN) for HSS & Cobalt; Diamond with Hone Brush for Carbide
Grit Removal System	Optional	Optional	Optional	Standard	Standard
Options Available	• 180-Grit Diamond     Sharpening Wheel         (for Carbide)     • Tapered/Common Shank         Diameter Chuck     • Machine Cover         • Vacuum         • Stand	180-Grit Diamond Sharpening Wheel     260-Grit Diamond Split Point Wheel     Auto Sharpening System     Tapered/Common Shank Diameter Chuck     Lg. Drill Attachment (21-30mm)     Left-Hand Chuck (3-12mm)     Left-Hand Chuck (12-21mm)     Countersink Attachment*     Stap Drill Attachment*     Step Drill Attachment*     Step Drill Attachment*     Step Drill Attachment (*XY Table Required for above accessories)     Machine Cover     Vacuum     Stand	180-Grit Diamond Sharpening Wheel     260-Grit Diamond Split Point Wheel     Lg. Drill Attachment (21-30mm)     Left-Hand Chuck (3-12mm)*     Left-Hand Chuck (12-21mm)*     Tapered/Common Shank Diameter Chuck* (*Manual Sharpening Fixture Required for above)     Countersink Attachment*     Step Drill Attachment*     Step Drill Attachment* (*XY Table Required for above accessories)     Machine Cover     Vacuum	• ER 11 Mini Collet Set • 260-Grit Diamond Wheel • 320-Grit Diamond Wheel • 120-Grit Silicon Carbide Hone Brush • 240-Grit Diamond Hone Brush • Machine Cover • Stand	• 260 – Grit Diamond Wheel     • 320 -Grit Diamond Wheel     • 120-Grit Silicon Carbide Hone Brush     • 240-Grit Diamond Hone Brush     • Machine Cover     • Stand

# SFARE LINING FOCUSED FAMILY BUSINESS SINCE 1973



#### **DAREX IND LLC**

660 Brian Way'
PO Box 847
Medford, OR
97501
800-547-0222
Fax 541-488-2229

www.DAREX.com

Distributed By:

#### **ToolTech General Trading LLC**

PO Box: 235485, Al Qusais, Dubai - UAE +9714-3313992 / +97154-3616872

Email: sales@tooltech.ae Website: www.tooltech.ae